# DO YOU HAVE THE BUILDING BLOCKS TO SCALE?

## Zoe Yang – Senior Consultant

A design system is the foundation for a scalable digital enterprise, yet few companies have implemented it. To level up, this system is a must-have.

Imagine two toy houses. House A is constructed of wood and glue. House B is constructed from LEGO pieces. Later, you decide you want to do a complete makeover of the layout, and you would also like to add a little shed in the yard. This is quite an undertaking with the house made of wood but relatively easy with LEGOs.

Most websites and apps are analogous to a house made of wood and glue. They are somewhat rigid. Any additional change or modification often requires significant work from scratch. To address this problem, design systems have been developed to create reusable and scalable digital components.

While most companies lack a design system, this approach is quickly becoming the standard operating model among leading tech companies like Airbnb, Salesforce, and Uber. In these companies, the system serves as a single source of truth for product, design, and engineering teams to improve workflow productivity and reduce communication ambiguity. In this article, I will touch upon five common questions related to design systems.

### WHAT IS A DESIGN SYSTEM?

I often hear the terms pattern libraries, style guides, and design systems used interchangeably. In reality, a design system is a combination of all and more. It is a collection of reusable UI elements assembled in different variations (like LEGO pieces) following explicit usage and interaction guidelines. It should build with scalability in mind.

GRID OVERVIEW						THE SPACING SYSTEM		lackbar / Mada	Snackbars Souther or unification to the regionesic and provide bold messages about reg protections with bottoms of the resum.
All her those vertically along this baseline, ovelding a similar thetim across all screens. This mythin is created by the le between each line of test and the margin between elements.	Colors				Color Palette Any color we are will be how this set of entry.			ine with Frailing lines	Decay Decay the solution where of a process that an age has performed an will perform. They appear foreocrarily, forwards the bottom of the screen. It shouldn't internal the vare reperiore, and after will not report a solution that the second the vare reperior of a solution of a solution of a performance of the rest second that with the second solution of a solution of a performance of the rest second solution.
$\frown$	COIOIS	Cohai			Primary refer A primary solar is the caller displayed most Separatly across your app's screene and conservation	saving for components and typography is some in matter of Apr. This Apr-value forms the basic units of	4411 Analasian Balance 550.050.50 uno	balandar annar haite ini 🛛 🕺	<ul> <li>Windows structure can be a place a popular a boops action that the users take action on a periodic performant by the app. If a structure control on a difficient action button, the wavekbay structure net actor dumitss. Additional action buttom abandhi's to "Structure" or "Structure".</li> </ul>
Two In service for	Finany			and descent	Vorge - Solas (active + antocured state) - Left and (deviding + faster) - Buster surgetime (mighte) - Busters	several for spacing	550,050.50 upp menumang upr @	This is also reported to be a set of the set	Language Southbur massaging should be short and provide clear updates on processes that have been performed. Avoid using tong sectomes.
Description of the statistical of the statisti	Data Share #2017088				"For ADA logislity reason, word using white test on primary love loadsproved for context team pages.		e Tore (Named)	has a state of a local line X	When the set: 9. Standbar Love priority - Optional: Snappear automatically 1. Bennet "Nervinet, medium priority, Optional: Bennet remain writh distributions by the source of the scalar of example that beams for standard in standard 1. Dialog Highest priority, Regulard Dailog black ago cauge until the uses takes a dialog scalar priority.
adipise	because .			Conservations.	A secondary color provides more ways to accent and distinguish your andwait. Making a successful your in agricesar, and should be signlief quartering to screent order, prime by your bit. Verage		Accord (2000) And \$72(10)           Accord (2000) And \$72(10) <td>Jer with line action</td> <td>Anatomy</td>	Jer with line action	Anatomy
Aeno					voge - Nederbedgeood - Nederbedgeood - Nederbedgeood		(and) and a	Varia to other more taxes line. Assess	C C THE I HAVE APPENDING THE X
This baseline convertion naturally flows on to the wet of the pild system, which includes inore, components, and layou Always thy to adapt intention the days grid, but where measurary use pand judgement to fine have your designe to fips. T is then to allow more flexibility to the intention and smaller adaptometrie.	Iner Has establish				tespa     Testing     Sectors to receive     Sectors corrow. The submit and sectors     Independent corrow. The submit and     Programmers have     Programmers have     Testing     Sectors     Testing	EHEIGHTS	**************************************	Phile in other energized cline	1. Icon 2. Text Label* 3. Active or Additional Active opproval) 4. Container (consider in centered on the screent) 5. Walden also
	Seties			10000	Allerts and Newton's colors Allerts and Newton's colors Aller and resolved calation spacetly accert part of the level of only patients, but we used	graphy descrit use a traditional baseline grad, and, fine heights are set to increments of a par- specing in transmoot from the edges of the		Phin is whet into bodie line . By the	*Dealblane seatair a test label that directly relates to the process being performed. On mobile, the test label can contain up to too lines of test. If an existen is long, if such the displayed on a third line. • On dealbloo and tablet, seataire container has a minimum width of 343ax.
LAVOUT WITH THE HORIZONTAL GRID					to surface comparison, not-have confix, shared, with results. Tended in this saw after and an the background onlow that appears backed possibility contact. Success such indexness soccess (and possible such associations). Wandow relate bolls after as constable analytics, such associations and sense	boses.	Account Solution Manufactures	ex with the Action	and would dynamically given based on the begits of the text and the grid flayout. Grackbair should only be a single time of text.
We define a horizontal grid for content and UI elements to align to, creating a visual structure with content. We perfer to heaving no house and lines around content as it induces the amount of elements a user meets to scats in order to depent the believe that the user's content themation for the music hour of a page, so as endowed all amorecompt distantions.	Light Dam 1938007	Sight Blue Vaciation 1 FEIRIF with the spectre	Light More Traciation 1. 1020007 with Ch. (perch	Gale Bio Validare 3 ECREP with 25 Gale	Error takes indicates errors in components, such as invalid here in a text field.		Annually Since AA107 Milly	The system increased from the	Behavior Agenating and disappaneing
	Awts				Typing-payling and historing-payling values. "Soft advect The elements in an approver codeca from specific companies to your color pathols, such as a porticity codec. Whenever other torown elements, such as test or come, spanse in the rule of an advect and there index. All these advected pathols are colored		Produce region to low. All doctory (Fights)	The Statistic Sector State	Sourcedures sports without warmon, and poreasity costs require user infranctions and alkould and discuss after a minimum of four researchs for short messages, the target messages, in no over house, we'll elemente optimal intri dismission torong. • If a sambhar contains an additional action buttor, the essablase checkle net why chemistre.
					spectificatly ensigned to appear cheery and registry apparentifies come before them. This intergapy of a latest is indeed "sin" colors, referring to the fast that the solar memory and use a enversion good "sin" and the transferred these and primary color, secondary color, surface color, background color, and set outor. These pri- fetablished using the original company name (and an a primary nice) color with the prima- telablished using the original company name (and an a primary nice) color with the prima- telablished using the original company name (and and a primary nice) color with the prima- telablished using the original company name (and and a primary nice) color with the prima-	AT TO CHOOSE SPACING	And	The is which are spore time.	ADA Staaddaar meestages are announced as an "aria live" region via antictive technology Frequency
O     O     O      Schuld needgefore: Minimum width of 72pm	Decess 3484748	Warming (E7790)	Danger (\$20062)		"be". "Shi" colores are primarily populates team, iconopriative, and attoines: Scimolinese, they are applied to surfaces.	reported that share a clear functional relationship.	Name of the second seco		Grity one snackbar may be displayed at a time. Consecutive seackbars When multiple snackbar opdates are necessary, they should appear one at a time.
Solid analyzing formation wetty of right:     Wide analyzing with 1454, the split analyzing with investors to 200p.     Solid Rev Analyzing with 14 clutters on mobility. T2 cultures on tables and devicing)     Solid Rev Analyzing and the second on mobility for second on mobility and devicing					The defaults for these values are #FFFFFF and #202121.		0	er with first long	Transition Seeklar Animalian on Rese Pase
Member Stage space of a model, zeta space of a model and searchy.     Searcher Gades what the content slights to:					Dark lived an hold backgrounds Dark lived an hold backgrounds applies the future of a dark 1. regis everybear sizes are access to access the (XEV2-V1) 1. Medium-emphasis and access to access the (XEV2-V1) 1. Dealed are found on the of access to access the access 1. Dealed are found on the (XEV2) of access and access of any 1. Dealed are found on the Access of access to access the access 1. Dealed are found on the Access of access the access of access 1. Dealed are found on the Access of access of access of access of access 1. Dealed are found on the Access of access of access of access of access of access of access 1. Dealed are found on the Access of access	more space between large typography or components, means components which are less flucturedy related	10	Anna Arcinet Studie Ha	Enter animative grow from bottom duration: 200ms, standard easing
BEST PRACTICES	Success un dark	Turning staffs			<ul> <li>Disabled tool and other Maple (22/22/27) with an againty of 3PL Light text on dark backgrounds Light text on dark backgrounds applies the following rules.</li> </ul>		-more a strategic to be reaching a strate	two environments with solute. This sy when a control boots then	(eff animation: shoink to bottom duration: 200ms, scandard evalue
When recentary use lasts invalue more from transf adjustments     Whenever provides, make sure that relatests law up, both variestically and host metally     Xings provide bounding bots to the dispatch with favor transf.	ender)	111400			Itigk emphasis kost use outer advis (MTTTTT)     Insour-emphasis test use costs light gray (MCULCE);     Disabled test use color while (MTTTTY) with an ouscry at 385.			Jung Advertise	Placement At the bottom of the UI - In motion, machines should be placed in a the center and fixed position after to the bottom of a II or front all age content. Avoid placing a suscible in
BREAK POINT SPECIFICATIONS				day in a second		down small and large values, along with sourcerol prevents the cands to oriente croad groupings of ed drang. This holgs monthmic understand the	Allocations and a second secon	Long Action New .	bigs with the activity of a fit is theory and graph control. Along particly is deviced an experimental experimenta experimental experimenta exper
Basilgoints are the point a which your shas content will reagond to provide the user with the beet possible layout to on information. When you first begin to work with Teraporoise Design you will define your breakpoints at the exact device a are tooking to target.	Test Street #270mDd	60 from #22/703				foce and find what they're looking for	Recent Transactions dealers (Service 1993) =	offs loos the	<ul> <li>Stackbart should appear directly above permittent forter elements;</li> <li>UI Rules;</li> </ul>
Mits width; 376ps	No.4 Colors								00 BENT Do mobile, can up to two lines of two to communicate the wandhare

# HOW CAN ENTERPRISES BENEFIT FROM A DESIGN SYSTEM?

I have worked in product teams across several enterprises and large companies. Here are some of the pain points I often hear:

- Designers do not like doing visual quality assurances (QAs).
- Designers do not like to pixel-push.
- Developers do not want to get inconsistent mockups and guess the specs.
- Developers do not want to get requirements that are not technically feasible.
- Product managers would much rather have the team build new features to enhance the experience than pay off design debt.

By implementing a design system, we can:

#### • Reduce design debt.


Non-reusable components and inconsistent styles often generate design and development debt. A design system can help reduce design debt.

#### • Facilitate a collaborative and communitive culture.

It was not until I started developing a global design system for my client that I realize other organizational teams had built components that can be reused for our project. There was absolutely no reason to have two types of dropdown menus for the same purpose, only slightly differing in UX patterns. Several teams often work on a single product or several digital products under the company umbrella in large organizations. A design system can serve as a bridge between groups; therefore, it helps build components with good reusability.

#### Reduce repetitive work and increase time to market.

Having highly reusable components in a central repository, complemented with clearly documented rules and guidelines, can reduce the time spent on visual QAs and technical tasks. Designers and developers can use their time for more meaningful tasks. Combined with agile practice, it would increase the potential for a faster product release.



# WHAT ARE THE OPTIONS FOR DESIGN SYSTEMS?

Of course, you can build an entirely custom design system. It maximizes the user experience and user interface (UX/UI) flexibility but costs more time as a tradeoff because you will need to set all the rules from the ground up.

You can also choose a strict or loose off-the-shelf system.

#### Strict System

A strict system (e.g., Material.io) comes with a comprehensive and detailed principle, styles, and best practices. It saves a lot of guesswork; it also allows for minimal customization.

#### Loose System

Material UI, which uses Facebook's react framework and has a naming convention and the visual are very similar to Material.io, is a type of loose system. They allow more freedom for experimentation for both designers and developers.

## HOW TO BUILD AN EFFECTIVE DESIGN SYSTEM TEAM WITHIN AN ORGANIZATION

The common mistake is seeing a design system as a one-off project instead of a product. A design system should be viewed as a product that is consumed by other teams. It is scalable and will evolve. To form a design system team, the core members should include but not be limited to:

- Design (UX/UI/Visual)
- Engineering (front-end or full-stack)
- Product Management

The team may also occasionally need content strategists or specialists.

#### In conclusion

A design system is a full-on product that can help an organization scale its digital portfolio with efficiency. It may seem like an upfront investment, but the benefit is too significant to ignore. We will surely see more and more enterprises adopt design systems at the foundation for all digital products.



**Capco** | Digital

© 2021 The Capital Markets Company. All rights reserved.